Republic of the Philippines

Department of Environment and Natural Resources

Visayas Avenue, Diliman, Quezon City. 1100 Tel. Nos. (632) 8929-6626 to 29; VOIP Trunkline (632) 8755-3300/8755-3330 Website: http://www.denr.gov.ph

MEMORANDUM

FOR

ALL UNDERSECRETARIES

FROM

THE UNDERSECRETARY AND CHIEF OF STAFF

SUBJECT

REMINDERS ON REQUIREMENTS RE SIGNATURES ON

DOCUMENTS SUBMITTED FOR THE OFFICE OF THE

SECRETARY

DATE

UUN 713 -2023

In the interest of service, this Memorandum is hereby issued to respectfully remind all Undersecretaries on the following requirements regarding the affixing of signatures and initials on documents submitted to the Office of the Secretary (OSEC):

OFFICES	REQUIREMENTS FOR UNDERSECRETARIES
Originating	 Provide written comments and recommendations on the OSEC Routing and Action Slip. Indicate the date of signing.
Office of the	2. Provide second/duplicate copy of the signed
Undersecretary	Memorandum for the Secretary and the Action Document/s (Letters, Special Orders, etc.). Affix initials on the second/duplicate copy of the Action Document/s.
Concurring Office of the	 Provide written comments and recommendations on the OSEC Routing and Action Slip. Indicate the date of signing.
Undersecretary	 Affix initials on the second/duplicate copy of the Memorandum for the Secretary and Action Document/s (Letters, Special Orders, etc.)

Adherence to the above requirements will facilitate the review process.

For consideration.

Marshon D

MEMO NO. 2023 - 499

DOCUMENTS HAND-CARRIED FOR APPROVAL OF SENR

PARTICULARS	REMARKS
DESIGNATION OF DENR AND	c/o Usec Teh, per
CCC OFFICIALS AS PROJECT	note of Dir Basug
TEAM LEADERS	
SBF8 DOCUMENTS	c/o Usec Teh, per
 LIST OF NOMINEES 	note of Dir Basug
 SUPPLEMENTAL LIST 	
• TA FOR USEC TEH	
DAO RE EXPLORATION STAGE	Usec Natus on leave
OF A MINING PROJECT	and Usec Malu in
wishal unjust	Tagaytay, but have
doc'	relayed via Viber
ECC FOR MAKILALA MINING	Per message of Usec
COMPANY untial impluments	CP to Ms Laila, he will
arc ·	explain this to SENR

- All who recommend approved should initial approved should initial the copy of the implant free free any wheelpappins should be satisfied to the free submitted for signature of stis/22